

BUNDABERG SYRUPS

Chemwatch Material Safety Data Sheet (REVIEW)

Revision No: 2

Hazard Alert Code:
MODERATE

Chemwatch 4802-16

Issue Date: 30-Mar-2006

CD 2006/3

Section 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: BUNDABERG SYRUPS

SYNONYMS

"liquid sugar", food-stuff

PRODUCT USE

Ingredient in food and food preparations.

SUPPLIER

Company: Bundaberg Sugar Limited

Address:

21 Magura Street

Enoggera






QLD, 4051

AUS

Telephone: +61 7 3335 8300

Fax: +61 7 3335 8311

HAZARD RATINGS

	Min	Max	
Flammability:	0		
Toxicity:	0		
Body Contact:	2		
Reactivity:	0		
Chronic:	0		

Min/Nil=0
Low=1
Moderate=2
High=3
Extreme=4

Section 2 - HAZARDS IDENTIFICATION

STATEMENT OF HAZARDOUS NATURE

NON-HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS. According to the Criteria of NOHSC, and the ADG Code.

POISONS SCHEDULE

None

RISK

May produce discomfort of the respiratory system*.

*(limited evidence).

SAFETY

Do not breathe gas/fumes/vapour/spray.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

NAME	CAS RN	%
reducing sugars		45-50
sucrose	57-50-1	25-30
water	7732-18-5	16-20

Section 4 - FIRST AID MEASURES

SWALLOWED

Not applicable.

EYE

If this product comes in contact with eyes:

- Wash out immediately with water.
- If irritation continues, seek medical attention.
- Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

SKIN

If skin or hair contact occurs:

- Flush skin and hair with running water (and soap if available).
- Seek medical attention in event of irritation.

INHALED

- If fumes or combustion products are inhaled remove from contaminated area.
- Other measures are usually unnecessary.

NOTES TO PHYSICIAN

Treat symptomatically.

Section 5 - FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

BUNDABERG SYRUPS

Chemwatch Material Safety Data Sheet (REVIEW)

Revision No: 2

Hazard Alert Code:
MODERATE

Chemwatch 4802-16

Issue Date: 30-Mar-2006

CD 2006/3

FIRE FIGHTING

- Alert Fire Brigade and tell them location and nature of hazard.
- Wear breathing apparatus plus protective gloves for fire only.
- Prevent, by any means available, spillage from entering drains or water courses.
- Use fire fighting procedures suitable for surrounding area.
- DO NOT approach containers suspected to be hot.
- Cool fire exposed containers with water spray from a protected location.
- If safe to do so, remove containers from path of fire.
- Equipment should be thoroughly decontaminated after use.

FIRE/EXPLOSION HAZARD

- The material is not readily combustible under normal conditions.
- However, it will break down under fire conditions and the organic component may burn.
- Not considered to be a significant fire risk.
- Heat may cause expansion or decomposition with violent rupture of containers.
- Decomposes on heating and may produce toxic fumes of carbon monoxide (CO).
- May emit acrid smoke.

Other decomposition products include: carbon dioxide (CO₂).

FIRE INCOMPATIBILITY

Avoid contamination with strong oxidising agents as ignition may result.

HAZCHEM

None

Section 6 - ACCIDENTAL RELEASE MEASURES

EMERGENCY PROCEDURES

MINOR SPILLS

Clean up all spills immediately.

Slippery when spilt.

Wipe up.

Place in clean drum then flush area with water.

MAJOR SPILLS

Slippery when spilt.

Minor hazard.

- Clear area of personnel.
- Alert Fire Brigade and tell them location and nature of hazard.
- Control personal contact by using protective equipment as required.
- Prevent spillage from entering drains or water ways.
- Contain spill with sand, earth or vermiculite.
- Collect recoverable product into labelled containers for recycling.
- Absorb remaining product with sand, earth or vermiculite and place in appropriate containers for disposal.
- Wash area and prevent runoff into drains or waterways.
- If contamination of drains or waterways occurs, advise emergency services.

EMERGENCY RESPONSE PLANNING GUIDELINES (ERPG)

The maximum airborne concentration below which it is believed that nearly all individuals could be exposed for up to one hour WITHOUT experiencing or developing

life-threatening health effects is:

sucrose	500 mg/m ³
water	500 mg/m ³

irreversible or other serious effects or symptoms which could impair an individual's ability to take protective action is:

sucrose	50 mg/m ³
water	500 mg/m ³

other than mild, transient adverse effects without perceiving a clearly defined odour is:

sucrose	30 mg/m ³
water	500 mg/m ³

The threshold concentration below which most people will experience no appreciable risk of health effects:

sucrose	15 mg/m ³
water	500 mg/m ³

American Industrial Hygiene Association (AIHA)

Ingredients considered according exceed the following cutoffs

Very Toxic (T+)	>= 0.1%	Toxic (T)	>= 3.0%
R50	>= 0.25%	Toxic (T)	>= 3.0%
R51	>= 2.5%	Corrosive (C)	>= 5.0%
else	>= 10%		

where percentage is percentage of ingredient found in the mixture

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS

BUNDABERG SYRUPS

Chemwatch Material Safety Data Sheet (REVIEW)

Revision No: 2

Issue Date: 30-Mar-2006

Hazard Alert Code:
MODERATE

Chemwatch 4802-16

CD 2006/3



X: Must not be stored together
O: May be stored together with specific precautions
+: May be stored together

Personal Protective Equipment advice is contained in Section 8 of the MSDS.

Section 7 - HANDLING AND STORAGE

PROCEDURE FOR HANDLING

- Limit all unnecessary personal contact.
- Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area.
- When handling DO NOT eat, drink or smoke.
- Always wash hands with soap and water after handling.
- Avoid physical damage to containers.
- Use good occupational work practice.
- Observe manufacturer's storing and handling recommendations.

SUITABLE CONTAINER

Plastic container.

- Metal can or drum
- Packaging as recommended by manufacturer.
- Check all containers are clearly labelled and free from leaks.

STORAGE INCOMPATIBILITY

Avoid storage with oxidisers.

STORAGE REQUIREMENTS

- Keep dry.
- Store under cover.
- Protect containers against physical damage.
- Observe manufacturer's storing and handling recommendations.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE CONTROLS

Source	Material	TWA ppm	TWA mg/m ³	STEL ppm	STEL mg/m ³	Peak ppm	Peak mg/m ³	TWA F/CC
Australia Exposure Standards	sucrose (Sucrose (a))		10					

The following materials had no OELs on our record under the following CAS

• water: CAS:7732-18-5

EMERGENCY EXPOSURE LIMITS

ODOUR SAFETY FACTOR (OSF)

None assigned. Refer to individual constituents.

INGREDIENT DATA

SUCROSE:

Sucrose has little adverse effect on the lung and does not produce significant organic disease. Massive doses are necessary to produce systemic toxicity. A Finnish study concluded that exposures below 5 mg/m³ should protect dental health, provided worker ingestion of the product was controlled. This finding was prompted by concerns within the bakery and confectionery industry of a connection between sucrose exposure and dental caries.

WATER:

No exposure limits set by NOHSC or ACGIH.

PERSONAL PROTECTION



EYE

No special equipment for minor exposure i.e. when handling small quantities.

- OTHERWISE:
- Safety glasses with side shields.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lens or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their

BUNDABERG SYRUPS

Chemwatch Material Safety Data Sheet (REVIEW)

Revision No: 2

Hazard Alert Code:
MODERATE

Chemwatch 4802-16

Issue Date: 30-Mar-2006

CD 2006/3

removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59]

HANDS/FEET

No special equipment needed when handling small quantities.

OTHERWISE: Wear general protective gloves, eg. light weight rubber gloves.

OTHER

No special equipment needed when handling small quantities.

OTHERWISE:

- Overalls.
- Barrier cream.
- Eyewash unit.

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the computer-generated selection: water

Protective Material CPI *.

BUTYL	A
NEOPRENE	A
VITON	A
PVA	C
NATURAL RUBBER	C

* CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

NOTE: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

RESPIRATOR

Selection of the Class and Type of respirator will depend upon the level of breathing zone contaminant and the chemical nature of the contaminant. Protection Factors (defined as the ratio of contaminant outside and inside the mask) may also be important.

Breathing Zone Level ppm (volume)	Maximum Protection Factor	Half-face Respirator	Full-Face Respirator
1000	10	-AUS P	-
1000	50	-	-AUS P
5000	50	Airline *	-
5000	100	-	-2 P
10000	100	-	-3 P
	100+		Airline**

* - Continuous Flow ** - Continuous-flow or positive pressure demand.

The local concentration of material, quantity and conditions of use determine the type of personal protective equipment required.

For further information consult site specific CHEMWATCH data (if available), or your Occupational Health and Safety Advisor.

ENGINEERING CONTROLS

None under normal operating conditions.

Provide adequate ventilation in warehouse or closed storage areas.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE

Viscous golden and dark brown coloured liquids; mixes with water.

PHYSICAL PROPERTIES

Liquid.

Mixes with water.

Molecular Weight: Not applicable

Melting Range (°C): Not available

Solubility in water (g/L): Miscible

pH (1% solution): Not available

Volatile Component (%vol): Not available

Relative Vapour Density (air=1): Not available

Lower Explosive Limit (%): Not applicable

Autoignition Temp (°C): Not available

State: Liquid

Boiling Range (°C): Not available

Specific Gravity (water=1): Not available

pH (as supplied): 6.5

Vapour Pressure (kPa): Not available

Evaporation Rate: Not available

Flash Point (°C): Not applicable

Upper Explosive Limit (%): Not applicable

Decomposition Temp (°C): Not available

Section 10 - CHEMICAL STABILITY AND REACTIVITY INFORMATION

CONDITIONS CONTRIBUTING TO INSTABILITY

- Presence of incompatible materials.
- Product is considered stable.
- Hazardous polymerisation will not occur.

BUNDABERG SYRUPS

Chemwatch Material Safety Data Sheet (REVIEW)

Revision No: 2

Issue Date: 30-Mar-2006

Hazard Alert Code:
MODERATE

Chemwatch 4802-16

CD 2006/3

Section 11 - TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

Use in food, and as food additive indicates high degree of tolerance.

The material may be discomfoting to the gastro-intestinal tract if swallowed in large quantity.

EYE

The liquid may produce eye discomfort causing smarting, pain and redness.

SKIN

The material may be mildly discomfoting to the skin.

INHALED

Not normally a hazard due to non-volatile nature of product.

Mist may produce discomfort to the upper respiratory tract.

CHRONIC HEALTH EFFECTS

Primary route of exposure is usually by skin contact.

TOXICITY AND IRRITATION

Not available. Refer to individual constituents.

unless otherwise specified data extracted from RTECS - Register of Toxic Effects of Chemical Substances

TOXICITY

IRRITATION

SUCROSE:

Oral (rat) LD50: 29700 mg/kg

Nil Reported

WATER:

No significant acute toxicological data identified in literature search.

Section 12 - ECOLOGICAL INFORMATION

No data for Bundaberg Syrups.

Refer to data for ingredients, which follows:

SUCROSE:

log Pow (Verschueren 1983):

- 3.67

ThOD:

1.12

log Kow : -2.25- -3.67

ThOD: 1.12

Section 13 - DISPOSAL CONSIDERATIONS

- Recycle wherever possible or consult manufacturer for recycling options.
- Consult State Land Waste Management Authority for disposal.
- Bury residue in an authorised landfill.
- Recycle containers if possible, or dispose of in an authorised landfill.

Section 14 - TRANSPORTATION INFORMATION

HAZCHEM: None

Air Transport IATA:

ICAO/IATA Class: None

ICAO/IATA Subrisk: None

UN/ID Number: None

Packing Group: -

ERG Code: -

Shipping name:None

NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS:UN, IATA,

IMDG

Section 15 - REGULATORY INFORMATION

POISONS SCHEDULE

None

REGULATIONS

sucrose (CAS: 57- 50- 1) is found on the following regulatory lists;

Australia Exposure Standards

Australia Inventory of Chemical Substances (AICS)

China (Hong Kong) Occupational Exposure Limits

China Inventory of Existing Chemical Substances

Indonesia Threshold Limit Value for chemical substances in the workplace (Bahasa Indonesian)

Korea (South) Existing Chemicals List (KECL)

Malaysia Permissible Exposure Limits

New Zealand Transferred List of Single Component Substances

New Zealand Workplace Exposure Standards (WES)

OECD Representative List of High Production Volume (HPV) Chemicals

Philippines Inventory of Chemicals and Chemical Substances (PICCS)

Singapore Permissible Exposure Levels of Toxic Substances

water (CAS: 7732- 18- 5) is found on the following regulatory lists;

Australia Inventory of Chemical Substances (AICS)

China Inventory of Existing Chemical Substances

BUNDABERG SYRUPS

Chemwatch Material Safety Data Sheet (REVIEW)

Issue Date: 30-Mar-2006

Revision No: 2

Hazard Alert Code:
MODERATE

Chemwatch 4802-16

CD 2006/3

China List of Dangerous Goods (GB 12268- 90)
Korea (South) Existing Chemicals List (KECL)
Malaysia Permissible Exposure Limits
New Zealand Transferred List of Single Component Substances
OECD Representative List of High Production Volume (HPV) Chemicals
Philippines Inventory of Chemicals and Chemical Substances (PICCS)

Section 16 - OTHER INFORMATION

EXPOSURE STANDARD FOR MIXTURES

4802-16 "Worst Case" computer-aided prediction of spray/ mist or fume/ dust components and concentration: Composite Exposure Standard for Mixture (TWA) :10 mg/m³. Operations which produce a spray/mist or fume/dust, introduce particulates to the breathing zone. If the breathing zone concentration of ANY of the components listed below is exceeded, "Worst Case" considerations deem the individual to be overexposed.

Component	Breathing Zone (mg/m ³)	Mixture Conc (%)
sucrose	10.0000	30.0

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.

Issue Date: 30-Mar-2006

Print Date: 23-Oct-2006